

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| S118 | 216 | heat near3 treat\$4 with aluminum same braz\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/01 15:55 |
| S117 | 219 | heat near3 treat\$4 with aluminum same braz\$\$ | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/01 15:55 |
| S116 | 11 | hot near3 roll\$4 with aluminum same ("80" "90" "100" "110" "120" "130" "140" "150") near3 \$4degree | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 18:45 |
| S115 | 4 | hot near3 roll\$4 with aluminum near3 (sheet plate) same ("80" "90" "100" "110" "120" "130" "140" "150") near3 \$4degree | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 18:43 |
| S114 | 4231 | hot near3 roll\$4 with aluminum | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 18:37 |
| S113 | 287 | hot near3 roll\$4 with aluminum with \$4degree | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 18:36 |
| S112 | 0 | preheat\$4 with ".degree. C" with aluminum same (braz\$4 solder\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 17:18 |
| S111 | 0 | preheat\$4 with degree with aluminum same (braz\$4 solder\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 17:16 |

| | | | | | | |
|------|------|---|---|----|-----|---------------------|
| S110 | 105 | preheat\$4 with aluminum with (braz\$4 solder\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 17:14 |
| S109 | 0 | preheat\$4 with aluminum with (braz\$4 solder\$4) same hot near3 roll\$4 near3 aluminum | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 17:14 |
| S108 | 28 | (braz\$4 solder\$4) same hot near3 roll\$4 near3 aluminum | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 17:12 |
| S107 | 9 | (braz\$4 solder\$4) same hot near3 rolled near3 aluminum | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 17:12 |
| S106 | 7 | (braz\$4 solder\$4) with hot near3 rolled near3 aluminum | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 17:10 |
| S105 | 2418 | ((solder\$4 braz\$4) same aluminum).ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/05/12 16:05 |
| S104 | 3318 | (solder\$4 braz\$4) same aluminum near3 oxide | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/05/12 16:05 |
| S103 | 33 | S100 and (solder\$4 braz\$4) same aluminum near3 oxide | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/05/12 15:36 |
| S102 | 226 | S100 and (solder\$4 braz\$4) and aluminum | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/05/12 15:31 |

| | | | | | | |
|------|------|--|---|----|-----|---------------------|
| S101 | 399 | S100 and (solder\$4 braz\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/05/12 15:31 |
| S100 | 2908 | 428/472.2,629,632,642.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/05/12 15:30 |
| S99 | 6 | form\$3 near3 ("alumina dihydrate" boehmite "aluminum hydroxide") same solder\$4 with aluminum | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 15:30 |
| S98 | 182 | S97 not S96 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 15:27 |
| S97 | 205 | ("alumina dihydrate" boehmite "aluminum hydroxide") same solder\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 15:27 |
| S96 | 23 | boehmite same solder\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 15:21 |
| S95 | 3 | "3747199".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 15:07 |
| S94 | 2 | "4496098".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 15:07 |
| S93 | 27 | fluxless with solder\$4 same ((aluminum near3 oxide) "Al. sub.2O.sub.3" alumina) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 14:57 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S92 | 952 | (spall\$5 hillock\$5) with ((aluminum near3 oxide) "Al. sub.2O.sub.3" alumina) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 14:55 |
| S91 | 0 | (spall\$5 hillock\$5) with ((aluminum near3 oxide) "Al. sub.2O.sub.3" alumina) same solder\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 14:55 |
| S90 | 3 | (spall\$5 hillock\$5) with aluminum near3 oxide and solder\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 14:55 |
| S89 | 171 | (spall\$5 hillock\$5) with aluminum near3 oxide | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 14:54 |
| S88 | 0 | (spall\$5 hillock\$5) with aluminum near3 oxide same solder\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 14:54 |
| S87 | 13 | grow\$4 with aluminum near3 oxide same solder\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 14:49 |
| S86 | 49 | treat\$4 with aluminum with solder \$4 same oxide | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/01 13:30 |
| S85 | 205 | treat\$4 with aluminum with solder \$4 | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/12/01 13:30 |
| S84 | 2 | ("2279253").URPN. | USPAT | OR | OFF | 2008/07/14 11:58 |
| S83 | 232 | ((aluminum near3 oxide) alumina ("Al.sub.2 O.sub.3")) near4 thin with (nm nanometer mm milimeter) same aluminum | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 11:54 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S82 | 304 | ((aluminum near3 oxide) alumina ("Al.sub.2 O.sub.3")) near4 thin with (nm nanometer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 11:50 |
| S81 | 714 | ((aluminum near3 oxide) alumina ("Al.sub.2 O.sub.3")) with thin with (nm nanometer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 11:49 |
| S80 | 3 | ((aluminum near3 oxide) alumina ("Al.sub.2 O.sub.3")) with (thickness thin) with (nm nanometer) with aluminum near4 ("work near3 piece" substrate) and (solder\$4 braz\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 11:38 |
| S79 | 27 | ((aluminum near3 oxide) alumina ("Al.sub.2 O.sub.3")) with (thickness thin) with (nm nanometer) not (electronic circuit) and (solder\$4 braz\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 11:31 |
| S78 | 1747 | ((aluminum near3 oxide) alumina ("Al.sub.2 O.sub.3")) with (thickness thin) with (nm nanometer) not (electronic circuit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 11:21 |
| S77 | 2 | "6989608".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 11:20 |
| S76 | 65 | ((aluminum near3 oxide) alumina ("Al.sub.2 O.sub.3")) with (thickness thin) with (nm nanometer) and heat near3 sink | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 11:07 |
| S75 | 7 | ((aluminum near3 oxide) alumina ("Al.sub.2 O.sub.3")) with (thickness thin) with (nm nanometer) same solder\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 11:00 |
| S74 | 3852 | ((aluminum near3 oxide) alumina ("Al.sub.2 O.sub.3")) with (thickness thin) with (nm nanometer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 10:58 |

| | | | | | | |
|-----|------|--|---|----|-----|---------------------|
| S73 | 4676 | ((aluminum near3 oxide) alumina ("Al.sub.2" "O.sub.3")) with (thickness thin) with (nm nanometer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 10:57 |
| S72 | 6 | ((aluminum near3 oxide) alumina) with (thickness thin) with (nm nanometer) same (solder\$3 braz \$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 10:54 |
| S71 | 3185 | ((aluminum near3 oxide) alumina) with (thickness thin) with (nm nanometer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/14 10:52 |
| S70 | 2735 | aluminum same solder\$3 with braz \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/14 09:44 |
| S69 | 86 | aluminum same solder\$3 with braz \$4 with either | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/14 09:44 |
| S68 | 427 | aluminum same solder\$3 with braz \$4 same either | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/14 09:43 |
| S67 | 2735 | aluminum same solder\$3 with braz \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/14 09:43 |
| S66 | 1 | aluminum same solder\$3 with braz \$4 with interchang\$6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/14 09:43 |
| S65 | 2 | de-3206809-\$.did. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/14 09:26 |
| S64 | 6 | ("2659138" "3395001").PN. OR ("3844777").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/07/14 09:06 |

| | | | | | | |
|-----|------|---|--|----|-----|---------------------|
| S63 | 1 | "3844777".pn. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/07/14 09:00 |
| S62 | 35 | solder\$5 with aluminum same lubricant | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/12 12:27 |
| S61 | 4 | solder\$5 with aluminum same halogen near4 lubricant | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/12 12:21 |
| S60 | 17 | solder\$5 with aluminum same inert with vacuum and (hydrogen nitrogen argon) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/11 11:34 |
| S59 | 89 | (braz\$4 solder\$5) with aluminum same inert with vacuum and (hydrogen nitrogen argon) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/11 11:31 |
| S58 | 31 | solder\$5 with aluminum same inert with vacuum | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/11 11:26 |
| S57 | 98 | solder\$5 with (alumina (aluminum adj (oxide hydroxide)) "al.sub.2 o. sub.3" "al.sub.2o.sub.3") adj (layer film coating) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 15:58 |
| S56 | 47 | solder\$5 with (alumina (aluminum adj (oxide hydroxide)) "al.sub.2 o. sub.3" "al.sub.2o.sub.3") adj layer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 15:57 |
| S55 | 41 | heat adj exchanger same (alumina (aluminum adj (oxide hydroxide)) "al.sub.2 o.sub.3" "al.sub.2o. sub.3") same solder\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 15:45 |
| S54 | 17 | grow\$5 with (alumina (aluminum adj (oxide hydroxide)) "al.sub.2 o. sub.3" "al.sub.2o.sub.3") same solder\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 15:43 |
| S53 | 19 | solder\$5 with penetrat\$4 with (alumina (aluminum adj (oxide hydroxide)) "al.sub.2 o.sub.3" "al. sub.2o.sub.3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 15:33 |
| S52 | 17 | solder\$5 same grow\$4 with (alumina (aluminum adj (oxide hydroxide)) "al.sub.2 o.sub.3" "al. sub.2o.sub.3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 15:26 |
| S51 | 6 | solder\$5 adj directly near3 (alumina (aluminum adj (oxide hydroxide)) "al.sub.2 o.sub.3" "al. sub.2o.sub.3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 14:47 |
| S49 | 2390 | solder\$5 with (alumina (aluminum adj (oxide hydroxide)) "al.sub.2 o. sub.3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 14:46 |

| | | | | | | |
|-----|------|---|--|----|-----|---------------------|
| S48 | 684 | solder\$5 with ((aluminum adj (oxide hydroxide)) "al.sub.2 o. sub.3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 14:45 |
| S47 | 16 | S45 not S46 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 13:21 |
| S46 | 63 | solder\$5 with ((aluminum adj (oxide hydroxide)) "Al.sub.20. sub.3") near3 layer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 13:21 |
| S45 | 79 | solder\$5 with ((aluminum adj (oxide hydroxide)) "al.sub.2 o. sub.3") near3 layer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 13:19 |
| S44 | 2 | "5300209".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 12:57 |
| S43 | 14 | anodiz\$4 near3 aluminum and solder\$5 with (oxide hydroxide) near3 layer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 10:12 |
| S42 | 40 | anodiz\$4 near3 aluminum and solder\$5 with (oxide hydroxide) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 10:11 |
| S41 | 9 | anodiz\$4 near3 aluminum same solder\$5 with (oxide hydroxide) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 10:10 |
| S40 | 362 | anodiz\$4 near3 aluminum same solder\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/07/02 10:10 |
| S39 | 15 | (aluminum al) with (magnesium mg) same solder\$3 same anodiz \$3 | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/11 08:46 |
| S38 | 1 | (aluminum al) with (magnesium mg) with composition same solder \$3 same anodiz\$3 | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/11 08:46 |
| S37 | 1180 | (aluminum al) with (magnesium mg) same anodiz\$3 | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/11 08:44 |
| S36 | 999 | (aluminum al) same anodiz\$3 same magnesium | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/11 08:44 |
| S35 | 6 | (aluminum al) same anodiz\$3 same nm same magnesium | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/11 08:17 |
| S34 | 4 | (aluminum al) same anodiz\$3 same nm same boehmite | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/11 08:17 |
| S33 | 334 | (aluminum al) same anodiz\$3 same nm same oxide | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/11 08:14 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S32 | 1213 | (aluminum al) and anodiz\$3 same nm | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/11 08:14 |
| S31 | 9 | (aluminum al) and annodiz\$3 and nm | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/11 08:09 |
| S23 | 228 | aluminum same (gibbsite hydroxide trihydrate alumina boehmite dihydrate) with thickness with nm | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 09:04 |
| S22 | 6 | boehmite same aluminum same (solder\$3 braz\$3) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:56 |
| S21 | 320 | oxide adj layer with nm with aluminum | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:54 |
| S20 | 0 | oxide adj layer with nm with aluminum same (solder\$3 braz\$3) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:54 |
| S19 | 0 | oxide adj layer with thickness with nm with aluminum same (solder\$3 braz\$3) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:54 |
| S18 | 0 | oxide adj layer with thickness near3 nm with aluminum same (solder\$3 braz\$3) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:54 |
| S17 | 0 | oxide adj layer with thickness near3 nm with aluminum and fluxless | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:53 |
| S16 | 171 | oxide adj layer with thickness near3 nm with aluminum | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:53 |
| S15 | 221 | oxide adj layer with thickness with nm with aluminum | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:53 |
| S14 | 5591 | oxide adj layer with thickness with nm | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:52 |
| S13 | 16 | (oxide hydroxide) adj layer same thickness with (nanometer nm) same (solder\$3 braz\$3) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:52 |
| S12 | 1 | aluminum with (oxide hydroxide) adj layer same thickness with (nanometer nm) same (solder\$3 braz\$3) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:51 |
| S11 | 1 | wo-2003076113-\$.did. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/07 08:40 |
| S10 | 9 | ("3457630" "3482305" "3497944" "3514842").PN. OR ("3747199").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:20 |
| S9 | 2 | ((cord) near2 (volker)).INV. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:04 |
| S8 | 3 | ((WOLFGANG) near2 (knodler)).INV. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:04 |
| S7 | 2 | ((WOLFGANG) near2 (HEEB)).INV. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:03 |

| | | | | | | |
|----|-------|---|---------------------------|----|-----|---------------------|
| S6 | 6 | "3747199" "5193739" | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:02 |
| S5 | 560 | 228/248.1.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/07 08:00 |
| S4 | 87 | aluminum with (oxide hydroxide) adj layer same thickness same solder\$3 | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/06 16:47 |
| S3 | 276 | aluminum with (oxide hydroxide) adj layer same solder\$3 | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/06 16:47 |
| S2 | 10471 | aluminum with (oxide hydroxide) adj layer | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/06 16:47 |
| S1 | 10407 | aluminum with oxide adj layer | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/06 16:46 |

12/ 2/ 2009 2:15:12 PM

C:\ Documents and Settings\ndaniello\ My Documents\ EAST\ Workspaces\ 10571288.wsp